Practice Code	Practice Name	Component (Component Code)	Units	Cost Per Unit	Cost Share Type	Cost Share Rate
342	CRITICAL AREA	PLANTING				
		Bermudagrass Mulch Sod (GBGMS)	SY	\$1.00	AC	65%
		Bermudagrass Solid Sod (GBGSS)	SY	\$4.90	AC	65%
		Bermudagrass Sprigging - CA (GBGSA)	AC	\$90.00	AC	65%
		Erosion Control Blanket (ECB)	SY	\$1.25	AC	65%
		Guymon or Wrangler Bermudagrass CA (GGBGA)	AC	\$114.00	AC	65%
		Native Grass Mixture CA (GNMA)	AC	\$73.00	AC	65%
		Old World Bluestem CA (GOWBA)	AC	\$64.00	AC	65%
		Shaping and Filling Gullies (GFS)	AC	\$500.00	AC	65%
		Trees &/or Shrubs-barerooted (TSB)	EACH	\$0.80	AC	65%
		Vegetation <1 acre (VEG)	ITEM	\$175.00	AC	65%
		Weeping Lovegrass CA (GLGA)	AC	\$29.50	AC	65%
		Western Wheatgrass CA (GWWGA)	AC	\$80.00	AC	65%
350	SEDIMENT BAS					
		Anti-vortex Baffle (AVB)	SF	\$3.55	AC	65%
		Barrel &/or Riser-Aluminized<=12ga (BRA12)	DIFT	\$1.60	AC	65%
		Barrel &/or Riser-Aluminized>=14ga (BRA14)	DIFT	\$1.42	AC	65%
		Barrel &/or Riser-Plastic (BRP)	DIFT	\$0.86	AC	65%
		Barrel &/or Riser-Polymer coated<=12ga (BRC12)	DIFT	\$1.95	AC	65%
		Barrel &/or Riser-Polymer coated>=14ga (BRC14)	DIFT	\$1.75	AC	65%
		Barrel &/or Riser-Steel (BRS)	DIFT	\$1.38	AC	65%
		Blanket Material (BM)	CY	\$22.50	AC	65%
		ConcreteConcrete/Steel in structural items(CON1)	CY	\$175.00	AC	65%
		Concrete - Reinforced and Formed (CONT)	CY	\$325.00	AC	65%
		Excavation &/or Embankment (EM)	CY	\$1.10	AC	65%
		Gypsum for dispersive soils (GYP2)	TON	\$60.00	AC	65%
		Principal Splway Drainage Diaphragm Filter (PSDDF)	CY	\$36.00	AC	65%
		Riprap and Filter (RRF)	CY	\$30.00	AC	65%
		Trash Guard (TG)	EACH	\$220.00	AC	65%
362	DIVERSION					
		Diversion Terrace - Ridge and/or Channel (RC)	CY	\$1.00	AC	65%

Practice Code	Practice Name	Component (Component Code)	Units	Cost Per Unit	Cost Share Type	Cost Share Rate
378	POND					
		Anti-vortex Baffle (AVB)	SF	\$3.55	AC	65%
		Barrel &/or Riser-Aluminized<=12ga (BRA12)	DIFT	\$1.60	AC	65%
		Barrel &/or Riser-Aluminized>=14ga (BRA14)	DIFT	\$1.42	AC	65%
		Barrel &/or Riser-CSP<=12ga (BR12)	DIFT	\$1.47	AC	65%
		Barrel &/or Riser-CSP>=14ga (BR14)	DIFT	\$1.29	AC	65%
		Barrel &/or Riser-Plastic (BRP)	DIFT	\$0.86	AC	65%
		Barrel &/or Riser-Polymer coated<=12ga (BRC12)	DIFT	\$1.95	AC	65%
		Barrel &/or Riser-Polymer coated>=14ga (BRC14)	DIFT	\$1.75	AC	65%
		Barrel &/or Riser-Steel (BRS)	DIFT	\$1.38	AC	65%
		Clay Liner (CL)	CY	\$3.00	AC	65%
		ConcreteConcrete/Steel in structural items(CON1)	CY	\$175.00	AC	65%
		Excavation &/or Embankment (EM)	CY	\$1.10	AC	65%
		Geotextile (GEOT)	SY	\$1.00	AC	65%
		Gypsum for dispersive soils (GYP2)	TON	\$60.00	AC	65%
		Principal Splway Drainage Diaphragm Filter (PSDDF)	CY	\$36.00	AC	65%
		Riprap and Filter (RRF)	CY	\$30.00	AC	65%
		Trash Guard (TG)	EACH	\$220.00	AC	65%
		FenceCritical and Small Area (FENCA) FenceFour Wire Permanent (FEN4)	LF LF	\$1.40 \$0.90	AC AC	65% 65%
410	GRADE STABIL	IZATION STRUCTURE				
		Anti-vortex Baffle (AVB)	SF	\$3.55	AC	65%
		Barrel &/or Riser-Aluminized<=12ga (BRA12)	DIFT	\$1.60	AC	65%
		Barrel &/or Riser-Aluminized>=14ga (BRA14)	DIFT	\$1.42	AC	65%
		Barrel &/or Riser-CSP<=12ga (BR12)	DIFT	\$1.47	AC	65%
		Barrel &/or Riser-CSP>=14ga (BR14)	DIFT	\$1.29	AC	65%
		Barrel &/or Riser-Plastic (BRP)	DIFT	\$0.86	AC	65%
		Barrel &/or Riser-Polymer coated<=12ga (BRC12)	DIFT	\$1.95	AC	65%
		Barrel &/or Riser-Polymer coated>=14ga (BRC14)	DIFT	\$1.75	AC	65%
		Barrel &/or Riser-Steel (BRS)	DIFT	\$1.38	AC	65%
		Blanket Material (BM)	CY	\$22.50	AC	65%
		Clay Liner (CL)	CY	\$3.00	AC	65%
		ConcreteConcrete/Steel in structural items(CON1)	CY	\$175.00	AC	65%
		ConcreteFormless Concrete Chute (CONFC)	CY	\$379.00	AC	65%
		Excavation &/or Embankment (EM)	CY	\$1.10	AC	65%
		Geotextile (GEOT)	SY	\$1.00	AC	65%
		Gypsum for dispersive soils (GYP2)	TON	\$60.00	AC	65%
		Principal Splway Drainage Diaphragm Filter (PSDDF)	CY	\$36.00	AC	65%
		Riprap and Filter (RRF)	CY	\$30.00	AC	65%
		Toe Wall Structure Galvanized Steel (TWSS)	SF	\$17.30	AC	65%
		Trash Guard (TG)	EACH	\$220.00	AC	65%

Materways-Construction/Shaping (SHAP)	Practice Code	Practice Name	Component (Component Code)	Units	Cost Per Unit	Cost Share Type	Cost Share Rate
Blanket Material (BM)	412 GRASSED WATERWAY						
Blanket Material (BM)			Waterways-Construction/Shaping (SHAP)	AC	\$550.00	AC	65%
Blanket Material (BM)	468	LINED WATER	NAY OR OUTLET				
Concrete_Lined Outlet (CON3)	400	LINED WATER		CY	\$22.50	AC	65%
Riprap and Filter (RRF)							
STREAMBANK AND SHORELINE PROTECTION Bernudagrass Sprigging - CA (GBGSA) AC \$90.00 AC 65% Common Reedgrass (GCR) RHIZO \$0.49 AC 65% Erosion Control Blanket (ECB) SY \$1.25 AC 65% Guymon or Wrangler Bermudagrass CA (GGBGA) AC \$111.40.0 AC 65% Riprap and Filter (RRF) CY \$30.00 AC 65% Switchgrass CA (GSGA) AC \$31.00 AC 65% AC 85% A				CY	\$30.00	AC	65%
Bermudagrass Sprigging - CA (GBGSA)			Rock Gabions/Rock Mattresses (GM)	CY	\$215.00	AC	65%
Bermudagrass Sprigging - CA (GBGSA)	500	CTDE A MD A NIZ	AND CHORELINE PROTECTION				
Common Reedgrass (GCR)	500	SIREAMBANK		۸۲	00 002	۸۲	65%
Erosion Control Blanket (ECB)							
Guymon or Wrangler Bermudagrass CA (GGBGA)							
Riprap and Filter (RRF)							
Switchgrass CA (GSGA)					<u>'</u>		
Trees &/or Shrubs-barerooted (TSB)							
STREAM CHANNEL STABILIZATION EACH \$98.00 AC 65%							
STREAM CHANNEL STABILIZATION Jacks (Sugar Creek) (JAX) EACH \$98.00 AC 65% Pilot Channel (Sugar Creek) (PCSC) LF \$3.50 AC 65% Retard & Diversion Fence (Sugar Creek) (RDFSC) LF \$1.68 AC 65% Retard & Diversion Fence (Sugar Creek) (RDFSC) LF \$1.68 AC 65% Retard & Diversion Fence (Sugar Creek) (RDFSC) LF \$1.60 AC 65% STRUCTURE FOR WATER CONTROL Anti-vortex Baffle (AVB) SF \$3.55 AC 65% Barrel &/or Riser-Aluminized<=12ga (BRA12) DIFT \$1.60 AC 65% Barrel &/or Riser-Palstic (BRP) DIFT \$1.42 AC 65% Barrel &/or Riser-Polymer coated<=12ga (BRC12) DIFT \$1.95 AC 65% Barrel &/or Riser-Polymer coated>=14ga (BRC14) DIFT \$1.75 AC 65% Barrel &/or Riser-Steel (BRS) DIFT \$1.38 AC 65% Barrel &/or Riser-Steel (BRS) DIFT \$1.38 AC 65% Barket Material (BM) CY \$22.50 AC 65% Concrete - Concrete-/Steel in structural items(CON1) CY \$175.00 AC 65% Concrete - Reinforced and Formed (CONT) CY \$325.00 AC 65% Excavation &/or Embankment (EM) CY \$1.10 AC 65% Geotextile (GEOT) SY \$1.00 AC 65% Gypsum for dispersive soils (GYP2) TON \$60.00 AC 65% Riprap and Filter (RRF) CY \$30.00 AC 65% Riprap					· · · · · · · · · · · · · · · · · · ·		
Jacks (Sugar Creek) (JAX)			Willow F Osts (WF)	LAOIT	ψ0.00	AO	0370
Jacks (Sugar Creek) (JAX)	584	STREAM CHAN	NEL STABILIZATION				
Pilot Channel (Sugar Creek) (PCSC) LF \$3.50 AC 65% Retard & Diversion Fence (Sugar Creek) (RDFSC) LF \$1.68 AC 65% Retard & Diversion Fence (Sugar Creek) (RDFSC) LF \$1.68 AC 65% STRUCTURE FOR WATER CONTROL Anti-vortex Baffle (AVB) SF \$3.55 AC 65% Barrel &/or Riser-Aluminized<=12ga (BRA12) DIFT \$1.60 AC 65% Barrel &/or Riser-Aluminized>=14ga (BRA14) DIFT \$1.42 AC 65% Barrel &/or Riser-Polymer coated<=12ga (BRC12) DIFT \$0.86 AC 65% Barrel &/or Riser-Polymer coated>=14ga (BRC12) DIFT \$1.75 AC 65% Barrel &/or Riser-Steel (BRS) DIFT \$1.38 AC 65% Barrel &/or Riser-Steel (BRS) DIFT \$1.38 AC 65% Barrel &/or Riser-Steel (BRS) DIFT \$1.38 AC 65% Concrete-Concrete/Steel in structural items(CON1) CY \$175.00 AC 65% Concrete - Reinforced and Formed (CONT) CY \$325.00 AC 65% Excavation &/or Embankment (EM) CY \$1.10 AC 65% Geotextile (GEOT) SY \$1.00 AC 65% Gypsum for dispersive soils (GYP2) TON \$60.00 AC 65% Principal Splway Drainage Diaphragm Filter (PSDDF) CY \$36.00 AC 65% Riprap and Filter (RRF) CY \$30.00 AC 65%	304	OTIVEAU OTIAN		FACH	\$98.00	AC.	65%
Retard & Diversion Fence (Sugar Creek) (RDFSC) LF \$1.68 AC 65%			, , ,				
Anti-vortex Baffle (AVB) SF \$3.55 AC 65% Barrel &/or Riser-Aluminized<=12ga (BRA12)				LF			
Anti-vortex Baffle (AVB) SF \$3.55 AC 65% Barrel &/or Riser-Aluminized<=12ga (BRA12)							
Barrel &/or Riser-Aluminized<=12ga (BRA12)	587	STRUCTURE FO	OR WATER CONTROL				
Barrel &/or Riser-Aluminized>=14ga (BRA14) DIFT \$1.42 AC 65% Barrel &/or Riser-Plastic (BRP) DIFT \$0.86 AC 65% Barrel &/or Riser-Polymer coated<=12ga (BRC12)			Anti-vortex Baffle (AVB)	SF	\$3.55	AC	65%
Barrel &/or Riser-Plastic (BRP) DIFT \$0.86 AC 65% Barrel &/or Riser-Polymer coated<=12ga (BRC12)			Barrel &/or Riser-Aluminized<=12ga (BRA12)	DIFT	\$1.60	AC	65%
Barrel &/or Riser-Polymer coated<=12ga (BRC12) DIFT \$1.95 AC 65% Barrel &/or Riser-Polymer coated>=14ga (BRC14) DIFT \$1.75 AC 65% Barrel &/or Riser-Steel (BRS) DIFT \$1.38 AC 65% Blanket Material (BM) CY \$22.50 AC 65% ConcreteConcrete/Steel in structural items(CON1) CY \$175.00 AC 65% Concrete - Reinforced and Formed (CONT) CY \$325.00 AC 65% Excavation &/or Embankment (EM) CY \$1.10 AC 65% Geotextile (GEOT) SY \$1.00 AC 65% Gypsum for dispersive soils (GYP2) TON \$60.00 AC 65% Principal Splway Drainage Diaphragm Filter (PSDDF) CY \$36.00 AC 65% Riprap and Filter (RRF) CY \$30.00 AC 65%			Barrel &/or Riser-Aluminized>=14ga (BRA14)	DIFT	\$1.42	AC	65%
Barrel &/or Riser-Polymer coated>=14ga (BRC14) DIFT \$1.75 AC 65% Barrel &/or Riser-Steel (BRS) DIFT \$1.38 AC 65% Blanket Material (BM) CY \$22.50 AC 65% ConcreteConcrete/Steel in structural items(CON1) CY \$175.00 AC 65% Concrete - Reinforced and Formed (CONT) CY \$325.00 AC 65% Excavation &/or Embankment (EM) CY \$1.10 AC 65% Geotextile (GEOT) SY \$1.00 AC 65% Gypsum for dispersive soils (GYP2) TON \$60.00 AC 65% Principal Splway Drainage Diaphragm Filter (PSDDF) CY \$36.00 AC 65% Riprap and Filter (RRF) CY \$30.00 AC 65%			Barrel &/or Riser-Plastic (BRP)	DIFT	\$0.86	AC	65%
Barrel &/or Riser-Steel (BRS) DIFT \$1.38 AC 65% Blanket Material (BM) CY \$22.50 AC 65% ConcreteConcrete/Steel in structural items(CON1) CY \$175.00 AC 65% Concrete - Reinforced and Formed (CONT) CY \$325.00 AC 65% Excavation &/or Embankment (EM) CY \$1.10 AC 65% Geotextile (GEOT) SY \$1.00 AC 65% Gypsum for dispersive soils (GYP2) TON \$60.00 AC 65% Principal Splway Drainage Diaphragm Filter (PSDDF) CY \$36.00 AC 65% Riprap and Filter (RRF) CY \$30.00 AC 65%			Barrel &/or Riser-Polymer coated<=12ga (BRC12)	DIFT	\$1.95	AC	65%
Blanket Material (BM) CY \$22.50 AC 65% ConcreteConcrete/Steel in structural items(CON1) CY \$175.00 AC 65% Concrete - Reinforced and Formed (CONT) CY \$325.00 AC 65% Excavation &/or Embankment (EM) CY \$1.10 AC 65% Geotextile (GEOT) SY \$1.00 AC 65% Gypsum for dispersive soils (GYP2) TON \$60.00 AC 65% Principal Splway Drainage Diaphragm Filter (PSDDF) CY \$36.00 AC 65% Riprap and Filter (RRF) CY \$30.00 AC 65%			Barrel &/or Riser-Polymer coated>=14ga (BRC14)	DIFT	\$1.75	AC	65%
ConcreteConcrete/Steel in structural items(CON1) CY \$175.00 AC 65% Concrete - Reinforced and Formed (CONT) CY \$325.00 AC 65% Excavation &/or Embankment (EM) CY \$1.10 AC 65% Geotextile (GEOT) SY \$1.00 AC 65% Gypsum for dispersive soils (GYP2) TON \$60.00 AC 65% Principal Splway Drainage Diaphragm Filter (PSDDF) CY \$36.00 AC 65% Riprap and Filter (RRF) CY \$30.00 AC 65%			Barrel &/or Riser-Steel (BRS)	DIFT	\$1.38	AC	65%
Concrete - Reinforced and Formed (CONT)CY\$325.00AC65%Excavation &/or Embankment (EM)CY\$1.10AC65%Geotextile (GEOT)SY\$1.00AC65%Gypsum for dispersive soils (GYP2)TON\$60.00AC65%Principal Splway Drainage Diaphragm Filter (PSDDF)CY\$36.00AC65%Riprap and Filter (RRF)CY\$30.00AC65%					-		
Excavation &/or Embankment (EM) Geotextile (GEOT) Gypsum for dispersive soils (GYP2) Principal Splway Drainage Diaphragm Filter (PSDDF) Riprap and Filter (RRF) CY \$1.10 AC 65% 55% 65% CY \$36.00 AC 65% CY \$30.00 AC 65%			ConcreteConcrete/Steel in structural items(CON1)	CY	\$175.00	AC	65%
Geotextile (GEOT)SY\$1.00AC65%Gypsum for dispersive soils (GYP2)TON\$60.00AC65%Principal Splway Drainage Diaphragm Filter (PSDDF)CY\$36.00AC65%Riprap and Filter (RRF)CY\$30.00AC65%			Concrete - Reinforced and Formed (CONT)	CY	\$325.00	AC	65%
Gypsum for dispersive soils (GYP2)TON\$60.00AC65%Principal Splway Drainage Diaphragm Filter (PSDDF)CY\$36.00AC65%Riprap and Filter (RRF)CY\$30.00AC65%			Excavation &/or Embankment (EM)		\$1.10	AC	65%
Principal Splway Drainage Diaphragm Filter (PSDDF) CY \$36.00 AC 65% Riprap and Filter (RRF) CY \$30.00 AC 65%				SY	\$1.00	AC	65%
Riprap and Filter (RRF) CY \$30.00 AC 65%			Gypsum for dispersive soils (GYP2)	TON	\$60.00	AC	65%
			Principal Splway Drainage Diaphragm Filter (PSDDF)	CY	\$36.00	AC	65%
Trash Guard (TG) EACH \$220.00 AC 65%			Riprap and Filter (RRF)	CY		AC	65%
			Trash Guard (TG)	EACH	\$220.00	AC	65%

Practice Code	Practice Name	Component (Component Code)	Units	Cost Per Unit	Cost Share Type	Cost Share Rate
590	NUTRIENT MANAGEMENT					
		Fertilizer CA (FTCA)	AC	\$40.00	AC	65%
644	WATERING FAC	NII ITV**				
614	WATERING FAC	The watering facility practice/components are only app	licable to th	a Sugar Cra	ok Watorsho	4
		The practice is ONLY allowed as a means of providing exclusion fencing is used to establish and maintain veglivestock are excluded from the stream channel.	an alternat	e water sourc	ce for livestocl	k when
		Concrete - Reinforced and Formed (CONT)	CY	\$325.00	AC	65%
		Energy-Free Fountain <=25 gallon tank (EFF2)	GAL	\$23.00	AC	65%
		Energy-Free Fountain >25 gallon tank (EFF4)	GAL	\$15.50	AC	65%
		Rubber Tire Tank (RTT)	DF	\$158.00	AC	65%
		Water Storage/Supply Tank (WSST)	GAL	\$0.47	AC	65%
		Water Tank - Fiberglass (FGT)	DF	\$130.00	AC	65%
		Water Tank - Freeze Proof (FPT)	EACH	\$1,000.00	AC	65%
		Water Tank/Trough w/Steel Sidewall (SS)	DF	\$115.00	AC	65%
620	UNDERGROUN	D OUTLET Barrel &/or Riser-Aluminized<=12ga (BRA12)	DIFT	\$1.60	AC	65%
		Barrel &/or Riser-Aluminized>=14ga (BRA14)	DIFT	\$1.42	AC	65%
		Barrel &/or Riser-CSP<=12ga (BR12)	DIFT	\$1.47	AC	65%
		Barrel &/or Riser-CSP>=14ga (BR14)	DIFT	\$1.29	AC	65%
		Barrel &/or Riser-Plastic (BRP)	DIFT	\$0.86	AC	65%
		Barrel &/or Riser-Polymer coated<=12ga (BRC12)	DIFT	\$1.95	AC	65%
		Barrel &/or Riser-Polymer coated>=14ga (BRC14)	DIFT	\$1.75	AC	65%
		Barrel &/or Riser-Steel (BRS)	DIFT	\$1.38	AC	65%
		ConcreteConcrete/Steel in structural items(CON1)	CY	\$175.00	AC	65%
		Trash Guard (TG)	EACH	\$220.00	AC	65%
638	WATER AND SE	EDIMENT CONTROL BASIN				
		Anti-vortex Baffle (AVB)	SF	\$3.55	AC	65%
		Barrel &/or Riser-Aluminized<=12ga (BRA12)	DIFT	\$1.60	AC	65%
		Barrel &/or Riser-Aluminized>=14ga (BRA14)	DIFT	\$1.42	AC	65%
		Barrel &/or Riser-Plastic (BRP)	DIFT	\$0.86	AC	65%
		Barrel &/or Riser-Polymer coated<=12ga (BRC12)	DIFT	\$1.95	AC	65%
		Barrel &/or Riser-Polymer coated>=14ga (BRC14)	DIFT	\$1.75	AC	65%
		Barrel &/or Riser-Steel (BRS)	DIFT	\$1.38	AC	65%
		ConcreteConcrete/Steel in structural items(CON1)	CY	\$175.00	AC	65%
		Excavation &/or Embankment (EM)	CY	\$1.10	AC	65%